

**Li-PO Standard Industrial Series**

Item	Model	Capacity	Volt.	Dimensions		
		(mAh)	(V)	T (mm)	W (mm)	L (mm)
1	FLP-300812	12	3.7	3.0	8.0	12.0
2	FLP-360821	15	3.7	3.6	8.0	21.0
3	FLP-350825	15	3.7	3.5	8.0	25.0
4	FLP-350915	20	3.7	3.5	9.0	15.0
5	FLP-350919	25	3.7	3.5	9.0	19.0
6	FLP-400920	25	3.7	4.0	9.0	20.0
7	FLP-230925	27	3.7	2.3	9.0	25.0
8	FLP-340925	30	3.7	3.4	9.0	25.0
9	FLP-350925	33	3.7	3.5	9.0	25.0
10	FLP-350926	35	3.7	3.5	9.0	29.0
11	FLP-450932	35	3.7	4.5	9.0	32.0
12	FLP-310938	36	3.7	3.1	9.0	38.0
13	FLP-320938	37	3.7	3.2	9.0	38.0
14	FLP-350938	38	3.7	3.5	9.0	38.0
15	FLP-400938	40	3.7	4.0	9.0	38.0
16	FLP-261012	40	3.7	2.6	10.0	12.0
17	FLP-451012	40	3.7	4.5	10.0	12.0
18	FLP-451012	40	3.7	4.5	10.0	12.0
19	FLP-381013	40	3.7	3.8	10.0	13.0
20	FLP-441014	40	3.7	4.4	10.0	14.0
21	FLP-251015	42	3.7	2.5	10.0	15.0
22	FLP-411015	45	3.7	4.0	10.0	15.0
23	FLP-451015	45	3.7	4.5	10.0	15.0
24	FLP-501015	45	3.7	5.0	10.0	15.0
25	FLP-551015	48	3.7	5.5	10.0	15.0
26	FLP-601015	50	3.7	6.0	10.0	15.0
27	FLP-381018	50	3.7	3.8	10.0	18.0
28	FLP-381018	50	3.7	3.8	10.0	18.0
29	FLP-371020	50	3.7	3.7	10.0	20.0
30	FLP-401020	50	3.7	4.0	10.0	20.0
31	FLP-401020	50	3.7	4.0	10.0	20.0
32	FLP-421020	50	3.7	4.2	10.0	20.0
33	FLP-501020	50	3.7	5.0	10.0	20.0
34	FLP-501020	52	3.7	5.0	10.0	20.0
35	FLP-551022	55	3.7	5.5	10.0	22.0
36	FLP-311116	55	3.7	3.1	11.0	16.0
37	FLP-401120	55	3.7	4.0	11.0	20.0
38	FLP-401024	55	3.7	4.0	10.0	24.0
39	FLP-501024	55	3.7	5.0	10.0	24.0
40	FLP-401024	60	3.7	4.0	10.0	24.0
41	FLP-361025	60	3.7	3.6	10.0	25.0
42	FLP-301025	60	3.7	3.0	10.0	25.0
43	FLP-401025	60	3.7	4.0	10.0	25.0
44	FLP-501025	60	3.7	5.0	10.0	25.0
45	FLP-401017	60	3.7	4.0	10.0	17.0
46	FLP-551017	60	3.7	5.5	10.0	17.0
47	FLP-481027	60	3.7	4.8	10.0	27.0

48	FLP-321028	60	3.7	3.2	10.0	28.0
49	FLP-341028	60	3.7	3.4	10.0	28.0
50	FLP-361028	63	3.7	3.6	10.0	28.0
51	FLP-451028	65	3.7	4.5	10.0	28.0
52	FLP-301029	65	3.7	3.0	10.0	29.0
53	FLP-301030	65	3.7	3.0	10.0	30.0
54	FLP-361030	65	3.7	3.6	10.0	30.0
55	FLP-401030	67	3.7	4.0	10.0	30.0
56	FLP-481030	68	3.7	4.8	10.0	30.0
57	FLP-531033	70	3.7	5.3	10.0	33.0
58	FLP-401034	70	3.7	4.0	10.0	34.0
59	FLP-501050	70	3.7	5.0	10.0	50.0
60	FLP-501117	70	3.7	5.0	11.0	17.0
61	FLP-601119	75	3.7	6.0	11.0	19.0
62	FLP-601125	75	3.7	6.0	11.0	25.0
63	FLP-471128	75	3.7	4.7	11.0	28.0
64	FLP-251133	75	3.7	2.5	11.0	33.0
65	FLP-421133	80	3.7	4.2	11.0	33.0
66	FLP-601140	80	3.7	6.0	11.0	40.0
67	FLP-551140	80	3.7	5.5	11.0	40.0
68	FLP-421143	80	3.7	4.0	11.0	43.0
69	FLP-521145	80	3.7	5.2	11.0	45.0
70	FLP-521145	80	3.7	5.2	11.0	45.0
71	FLP-301215	80	3.7	3.0	12.0	15.0
72	FLP-401215	80	3.7	4.0	12.0	15.0
73	FLP-681215	80	3.7	6.8	12.0	15.0
74	FLP-321218	80	3.7	3.2	12.0	18.0
75	FLP-501218	85	3.7	5.0	12.0	18.0
76	FLP-301220	85	3.7	3.0	12.0	20.0
77	FLP-381220	85	3.7	3.8	12.0	20.0
78	FLP-501220	88	3.7	5.0	12.0	20.0
79	FLP-531220	90	3.7	5.3	12.0	20.0
80	FLP-551220LP	90	3.7	5.5	12.0	20.0
81	FLP-601220	90	3.7	6.0	12.0	20.0
82	FLP-421223	90	3.7	4.2	12.0	23.0
83	FLP-401225	90	3.7	4.0	12.0	25.0
84	FLP-501225	90	3.7	5.0	12.0	25.0
85	FLP-501228	90	3.7	5.0	12.0	28.0
86	FLP-751229	90	3.7	7.5	12.0	29.0
87	FLP-451230	90	3.7	4.5	12.0	30.0
88	FLP-401230	95	3.7	4.5	12.0	30.0
89	FLP-501230	95	3.7	5.0	12.0	30.0
90	FLP-551230	95	3.7	5.5	12.0	30.0
91	FLP-651230	95	3.7	6.5	12.0	30.0
92	FLP-501235	95	3.7	5.0	12.0	35.0
93	FLP-501235	100	3.7	5.0	12.0	35.0
94	FLP-501235	100	3.7	5.0	12.0	35.0
95	FLP-601222	100	3.7	6.0	12.0	22.0
96	FLP-701223	100	3.7	7.0	12.0	23.0
97	FLP-701224	100	3.7	7.0	12.0	24.0
98	FLP-501245	100	3.7	5.0	12.0	45.0
99	FLP-551245	100	3.7	5.5	12.0	45.0
100	FLP-601248	100	3.7	6.0	12.0	48.0
101	FLP-651248	100	3.7	6.5	12.0	48.0
102	FLP-601250	100	3.7	6.0	12.0	50.0
103	FLP-701316	100	3.7	7.0	13.0	16.0
104	FLP-351324	100	3.7	3.5	13.0	24.0

105	FLP-601332	100	3.7	6.0	13.0	32.0
106	FLP-451350	100	3.7	4.5	13.0	50.0
107	FLP-481350	100	3.7	4.8	13.0	50.0
108	FLP-801350	110	3.7	8.0	13.0	50.0
109	FLP-451360	110	3.7	4.5	13.0	60.0
110	FLP-451414	110	3.7	4.5	14.0	14.0
111	FLP-271415	110	3.7	2.7	14.0	15.0
112	FLP-431415	110	3.7	4.3	14.0	15.0
113	FLP-301417	110	3.7	3.0	14.0	17.0
114	FLP-511417	115	3.7	5.0	14.0	17.0
115	FLP-501417	115	3.7	5.0	14.0	17.0
116	FLP-501419	120	3.7	5.0	14.0	19.0
117	FLP-551419	120	3.7	5.5	14.0	19.0
118	FLP-651419	120	3.7	6.5	14.0	19.0
119	FLP-481420	120	3.7	1.8	14.0	20.0
120	FLP-301423	120	3.7	3.0	14.0	23.0
121	FLP-301430	120	3.7	3.0	14.0	30.0
122	FLP-401430	130	3.7	4.0	14.0	30.0
123	FLP-501430	130	3.7	5.0	14.0	30.0
124	FLP-521430	130	3.7	5.2	14.0	30.0
125	FLP-551430	130	3.7	5.5	14.0	30.0
126	FLP-701435	130	3.7	7.0	14.0	35.0
127	FLP-351435	135	3.7	3.5	14.0	35.0
128	FLP-401435	140	3.7	4.0	14.0	35.0
129	FLP-501435	140	3.7	5.0	14.0	35.0
130	FLP-551435P	140	3.7	5.5	14.0	35.0
131	FLP-801450	145	3.7	8.0	14.0	50.0
132	FLP-451519	150	3.7	4.5	15.0	19.0
133	FLP-801520	150	3.7	8.0	15.0	20.0
134	FLP-301525	150	3.7	3.0	15.0	25.0
135	FLP-351525	150	3.7	3.5	15.0	25.0
136	FLP-351525	150	3.7	3.5	15.0	25.0
137	FLP-551525	150	3.7	5.0	15.0	25.0
138	FLP-601525	150	3.7	6.0	15.0	25.0
139	FLP-751525	150	3.7	7.5	15.0	25.0
140	FLP-801525	150	3.7	8.0	15.0	25.0
141	FLP-801530	151	3.7	8.0	15.0	30.0
142	FLP-851535	165	3.7	8.5	15.0	35.0
143	FLP-601539	165	3.7	6.0	15.0	39.0
144	FLP-901539	170	3.7	9.0	15.0	39.0
145	FLP-941539	170	3.7	9.4	15.0	39.0
146	FLP-401550	170	3.7	4.0	15.0	50.0
147	FLP-501550	170	3.7	5.0	15.0	50.0
148	FLP-311618	170	3.7	3.1	16.0	18.0
149	FLP-351618	170	3.7	3.5	16.0	18.0
150	FLP-381620	175	3.7	3.8	16.0	20.0
151	FLP-651620	180	3.7	6.5	16.0	20.0
152	FLP-461629	180	3.7	4.6	16.0	29.0
153	FLP-501629	180	3.7	5.0	16.0	29.0
154	FLP-521629	180	3.7	5.2	16.0	29.0
155	FLP-301630	180	3.7	3.0	16.0	30.0
156	FLP-351630	180	3.7	3.5	16.0	30.0
157	FLP-381630	180	3.7	3.8	16.0	30.0
158	FLP-401630	180	3.7	4.0	16.0	30.0
159	FLP-401630	180	3.7	4.0	16.0	30.0
160	FLP-491630	180	3.7	4.9	16.0	30.0
161	FLP-501630	185	3.7	5.0	16.0	30.0

162	FLP-501630	190	3.7	5.0	16.0	30.0
163	FLP-521646	190	3.7	5.2	16.0	46.0
164	FLP-351650	190	3.7	3.5	16.0	50.0
165	FLP-301730	190	3.7	3.0	17.0	30.0
166	FLP-351730	195	3.7	3.5	17.0	30.0
167	FLP-491730	200	3.7	4.9	17.0	30.0
168	FLP-601730	200	3.7	6.0	17.0	30.0
169	FLP-301715	200	3.7	3.0	17.0	15.0
170	FLP-751721	200	3.7	7.5	17.0	21.0
171	FLP-301722	200	3.7	3.0	17.0	22.0
172	FLP-381722	200	3.7	3.8	17.0	22.0
173	FLP-251725	200	3.7	2.5	17.0	25.0
174	FLP-351725	200	3.7	3.5	17.0	25.0
175	FLP-501725	200	3.7	5.0	17.0	25.0
176	FLP-851725	200	3.7	8.5	17.0	25.0
177	FLP-351740	200	3.7	3.5	170.0	40.0
178	FLP-301770	200	3.7	3.0	17.0	70.0
179	FLP-421832	200	3.7	4.2	18.0	32.0
180	FLP-501835P	200	3.7	5.0	18.0	35.0
181	FLP-551835	200	3.7	5.5	18.0	35.0
182	FLP-401842	200	3.7	4.0	18.0	42.0
183	FLP-601848	200	3.7	6.0	18.0	48.0
184	FLP-301917	200	3.7	3.0	19.0	17.0
185	FLP-671917	200	3.7	6.7	19.0	17.0
186	FLP-401921	210	3.7	4.0	19.0	21.0
187	FLP-801922	210	3.7	8.0	19.0	22.0
188	FLP-301925	210	3.7	3.0	19.0	25.0
189	FLP-451945	220	3.7	4.5	19.0	45.0
190	FLP-302023	220	3.7	3.0	20.0	23.0
191	FLP-602023	220	3.7	6.0	20.0	23.0
192	FLP-602024	220	3.7	6.0	20.0	24.0
193	FLP-802024	220	3.7	8.0	20.0	24.0
194	FLP-302025	220	3.7	3.0	20.0	25.0
195	FLP-402025	230	3.7	4.0	20.0	25.0
196	FLP-502025	230	3.7	5.0	20.0	25.0
197	FLP-502025	230	3.7	5.0	20.0	25.0
198	FLP-602025	230	3.7	6.0	20.0	25.0
199	FLP-602025	230	3.7	6.0	20.0	25.0
200	FLP-702025	240	3.7	7.0	20.0	25.0
201	FLP-732025	240	3.7	7.3	20.0	25.0
202	FLP-302030	250	3.7	3.0	20.0	30.0
203	FLP-402030	250	3.7	4.0	20.0	30.0
204	FLP-402030	250	3.7	4.0	20.0	30.0
205	FLP-402030	250	3.7	4.0	20.0	30.0
206	FLP-402030	250	3.7	4.0	20.0	30.0
207	FLP-452030	250	3.7	4.5	20.0	30.0
208	FLP-502030	250	3.7	5.0	20.0	30.0
209	FLP-502030	250	3.7	5.0	20.0	30.0
210	FLP-502030	250	3.7	5.0	20.0	30.0
211	FLP-502030	250	3.7	5.0	20.0	30.0
212	FLP-552030	250	3.7	5.5	20.0	30.0
213	FLP-602030	250	3.7	6.0	20.0	30.0
214	FLP-702030	250	3.7	7.0	20.0	30.0
215	FLP-702030	250	3.7	7.0	20.0	30.0
216	FLP-862030	260	3.7	8.6	20.0	30.0
217	FLP-902030	260	3.7	9.0	20.0	30.0
218	FLP-902030	270	3.7	9.0	20.0	30.0

219	FLP-332033	270	3.7	3.3	20.0	33.0
220	FLP-302035	270	3.7	3.0	20.0	35.0
221	FLP-352035	270	3.7	3.5	20.0	35.0
222	FLP-362035	275	3.7	3.6	20.0	35.0
223	FLP-402035	280	3.7	4.0	20.0	35.0
224	FLP-402035	280	3.7	4.0	20.0	35.0
225	FLP-502035	280	3.7	5.0	20.0	35.0
226	FLP-502035	280	3.7	5.0	20.0	35.0
227	FLP-552035	280	3.7	5.5	20.0	35.0
228	FLP-802035	290	3.7	8.0	20.0	35.0
229	FLP-852035	290	3.7	8.5	20.0	35.0
230	FLP-152540	290	3.7	1.5	2.5	40.0
231	FLP-562044	300	3.7	5.6	20.0	44.0
232	FLP-802044	300	3.7	8.0	20.0	44.0
233	FLP-902044	300	3.7	9.0	20.0	44.0
234	FLP-602046	300	3.7	6.0	20.0	46.0
235	FLP-272050	300	3.7	2.7	20.0	50.0
236	FLP-272050	300	3.7	2.7	20.0	50.0
237	FLP-702050	300	3.7	7.0	20.0	50.0
238	FLP-302121	300	3.7	3.0	21.0	21.0
239	FLP-702141	300	3.7	7.0	21.0	41.0
240	FLP-802141	300	3.7	8.0	21.0	41.0
241	FLP-482148	300	3.7	4.8	21.0	48.0
242	FLP-422152	300	3.7	4.2	21.0	52.0
243	FLP-402152	300	3.7	4.0	21.0	52.0
244	FLP-452220	300	3.7	4.5	22.0	20.0
245	FLP-902223	300	3.7	9.0	22.0	23.0
246	FLP-362224	300	3.7	3.6	22.0	24.0
247	FLP-572224	300	3.7	5.7	22.0	24.0
248	FLP-602224	300	3.7	6.0	22.0	24.0
249	FLP-502244	300	3.7	5.0	22.0	44.0
250	FLP-502244	300	3.7	5.0	22.0	44.0
251	FLP-902245	310	3.7	9.0	22.0	45.0
252	FLP-272250	320	3.7	2.7	22.0	50.0
253	FLP-652272	320	3.7	6.5	22.0	72.0
254	FLP-302323	320	3.7	3.0	23.0	23.0
255	FLP-352323	320	3.7	3.5	23.0	23.0
256	FLP-552326	320	3.7	5.5	23.0	26.0
257	FLP-492329	320	3.7	4.9	23.0	29.0
258	FLP-302330	330	3.7	3.0	23.0	30.0
259	FLP-282335	350	3.7	2.8	23.0	35.0
260	FLP-422335	350	3.7	4.2	23.0	35.0
261	FLP-552335	350	3.7	5.5	23.0	35.0
262	FLP-702338	350	3.7	7.0	23.0	38.0
263	FLP-702338	350	3.7	7.0	23.0	38.0
264	FLP-702338	360	3.7	7.0	23.0	38.0
265	FLP-562424	370	3.7	5.6	24.0	24.0
266	FLP-682428	370	3.7	6.8	24.0	28.0
267	FLP-402429	380	3.7	4.0	24.0	29.0
268	FLP-412429	380	3.7	4.1	24.0	29.0
269	FLP-802444	380	3.7	8.0	24.0	44.0
270	FLP-502433	400	3.7	5.0	24.0	33.0
271	FLP-502533	400	3.7	5.0	25.0	33.0
272	FLP-352525	400	3.7	3.5	25.0	25.0
273	FLP-502525	400	3.7	5.0	25.0	25.0
274	FLP-602525	400	3.7	6.0	25.0	25.0
275	FLP-652525	400	3.7	6.5	25.0	25.0

276	FLP-322527	400	3.7	3.2	25.0	27.0
277	FLP-252530	400	3.7	2.5	25.0	30.0
278	FLP-402530	400	3.7	4.0	25.0	30.0
279	FLP-432530	400	3.7	4.3	25.0	30.0
280	FLP-482530	420	3.7	4.8	25.0	30.0
281	FLP-502530	430	3.7	5.0	25.0	30.0
282	FLP-602530	430	3.7	6.0	25.0	30.0
283	FLP-702530	430	3.7	7.0	25.0	30.0
284	FLP-802530	430	3.7	8.0	25.0	30.0
285	FLP-802530	450	3.7	8.0	25.0	30.0
286	FLP-832530	450	3.7	8.3	25.0	30.0
287	FLP-902530	450	3.7	9.0	25.0	30.0
288	FLP-102530	460	3.7	10.0	25.0	30.0
289	FLP-622533	460	3.7	6.2	25.0	33.0
290	FLP-702533	460	3.7	7.0	25	33.0
291	FLP-302535	480	3.7	3.0	25.0	35.0
292	FLP-402535	480	3.7	4.0	25.0	35.0
293	FLP-502535	480	3.7	5.0	25.0	35.0
294	FLP-552535	480	3.7	5.5	25.0	35.0
295	FLP-652540	480	3.7	6.5	25.0	40.0
296	FLP-482553	500	3.7	4.8	25.0	53.0
297	FLP-592553	500	3.7	5.9	25.0	53.0
298	FLP-502627	500	3.7	5.0	26.0	27.0
299	FLP-382735	500	3.7	3.8	27.0	35.0
300	FLP-372737	500	3.7	3.7	27.0	37.0
301	FLP-702742	500	3.7	7.0	27.0	42.0
302	FLP-552824	500	3.7	5.5	28.0	24.0
303	FLP-322826	500	3.7	3.2	28.0	26.0
304	FLP-402827	500	3.7	4.0	28.0	27.0
305	FLP-392830	500	3.7	3.9	28.0	30.0
306	FLP-272850	500	3.7	2.7	28.0	50.0
307	FLP-602921	520	3.7	6.0	29.0	21.0
308	FLP-682940	550	3.7	6.8	29.0	40.0
309	FLP-333030	550	3.7	3.0	30.0	30.0
310	FLP-503030	560	3.7	5.0	30.0	30.0
311	FLP-603030	570	3.7	6.0	30.0	30.0
312	FLP-303035	570	3.7	3.0	30.0	35.0
313	FLP-403035	570	3.7	4.0	30.0	35.0
314	FLP-503035	580	3.7	5.0	30.0	35.0
315	FLP-553035	600	3.7	5.5	30.0	35.0
316	FLP-863035	600	3.7	8.6	30.0	35.0
317	FLP-603038	600	3.7	6.0	30.0	38.0
318	FLP-303040	600	3.7	3.0	30.0	40.0
319	FLP-353040	600	3.7	3.5	30.0	40.0
320	FLP-403040	600	3.7	4.0	30.0	40.0
321	FLP-503040	630	3.7	5.0	30.0	40.0
322	FLP-503040	650	3.7	5.0	30.0	40.0
323	FLP-383040	680	3.7	3.8	30.0	40.0
324	FLP-753040	680	3.7	7.5	30.0	40.0
325	FLP-803040	700	3.7	8.0	30.0	40.0
326	FLP-533045	700	3.7	5.3	30.0	45.0
327	FLP-333048	710	3.7	3.3	30.0	48.0
328	FLP-403048	750	3.7	4.0	30.0	48.0
329	FLP-453048	750	3.7	4.5	30.0	48.0
330	FLP-503048	750	3.7	5.0	30.0	48.0
331	FLP-603048	750	3.7	6.0	30.0	48.0
332	FLP-753048	800	3.7	7.5	30.0	48.0

333	FLP-753048	800	3.7	7.5	30.0	48.0
334	FLP-103048	800	3.7	10.0	30.0	48.0
335	FLP-303116	800	3.7	3.0	31.0	16.0
336	FLP-643120	800	3.7	6.4	31.0	20.0
337	FLP-382672	800	3.7	3.8	26.0	72.0
338	FLP-233247	800	3.7	2.3	32.0	47.0
339	FLP-353442	850	3.7	3.5	34.0	42.0
340	FLP-233545	850	3.7	2.3	35.0	45.0
341	FLP-603436	850	3.7	6.0	34.0	36.0
342	FLP-323438	850	3.7	3.2	34.0	38.0
343	FLP-253450	900	3.7	2.5	34.0	50.0
344	FLP-523450	900	3.7	5.2	34.0	50.0
345	FLP-523450	920	3.7	5.2	34.0	50.0
346	FLP-103450	950	3.7	10.0	34.0	50.0
347	FLP-523455	1000	3.7	5.2	34.0	55.0
348	FLP-533443	1000	3.7	5.3	34.0	43.0
349	FLP-583443	1100	3.7	5.8	34.0	43.0
350	FLP-603443	1200	3.7	6.0	34.0	43.0
351	FLP-373745	1200	3.7	3.7	3.7	45.0
352	FLP-443944	1250	3.7	4.4	39.0	44.0
353	FLP-804045	1250	3.7	3.0	40.0	45.0
354	FLP-553570	1700	3.7	5.5	35.0	70.0
355	FLP-103450	1750	3.7	10.0	34.0	50.0
356	FLP-356790	1800	3.7	3.5	67.0	90.0
357	FLP-287098	1800	3.7	2.8	70.0	98.0
358	FLP-326080	1800	3.7	3.2	60.0	80.0
359	FLP-375085	1800	3.7	3.7	50.0	85.0
360	FLP-405666	1800	3.7	4.0	56.0	66.0
361	FLP-416266	1800	3.7	4.1	62.0	66.0
362	FLP-346080	1850	3.7	34.0	60.0	80.0
363	FLP-406168	1900	3.7	4.0	61.0	68.0
364	FLP-453982	1900	3.7	4.5	39.0	82.0
365	FLP-702990	1900	3.7	7.0	29.0	90.0
366	FLP-553580	1950	3.7	5.5	35.0	80.0
367	FLP-306383	2000	3.7	3.0	63.0	83.0
368	FLP-286595	2000	3.7	2.8	65.0	95.0
369	FLP-326175	2000	3.7	3.2	61.0	75.0
370	FLP-335974	2000	3.7	3.3	59.0	74.0
371	FLP-366263	2000	3.7	3.6	62.0	63.0
372	FLP-416175	2000	3.7	4.1	61.0	75.0
373	FLP-824250	2000	3.7	8.2	42.0	50.0
374	FLP-923456	2000	3.7	9.2	34.0	56.0
375	FLP-504866	2050	3.7	5.0	48.0	66.0
376	FLP-288088	2100	3.7	2.8	80.0	88.0
377	FLP-644659	2100	3.7	6.4	46.0	59.0
378	FLP-395087	2150	3.7	3.9	50.0	87.0
379	FLP-306595	2200	3.7	3.0	65.0	95.0
380	FLP-496262	2200	3.7	4.9	62.0	62.0
381	FLP-506266	2200	3.7	5.0	62.0	66.0
382	FLP-614174	2250	3.7	6.1	41.0	74.0
383	FLP-2571114	2300	3.7	2.5	71.0	114.0
384	FLP-307098	2400	3.7	3.0	70.0	98.0
385	FLP-2869120	2400	3.7	2.8	69.0	120.0
386	FLP-326095	2400	3.7	3.2	60.0	95.0
387	FLP-336593	2400	3.7	3.3	65.0	93.0
388	FLP-3545145	2400	3.7	3.5	45.0	145.0
389	FLP-425488	2400	3.7	4.2	54.0	88.0

390	FLP-326589	2450	3.7	3.2	65.0	89.0
391	FLP-2562130	2500	3.7	2.5	62.0	130.0
392	FLP-2750143	2500	3.7	2.7	50.0	143.0
393	FLP-2969100	2500	3.7	2.9	69.0	100.0
394	FLP-3153130	2500	3.7	3.1	53.0	130.0
395	FLP-346593	2500	3.7	3.4	65.0	93.0
396	FLP-347098	2500	3.7	3.4	70.0	98.0
397	FLP-357090	2500	3.7	3.5	70.0	90.0
398	FLP-357595	2500	3.7	3.5	75.0	95.0
399	FLP-375486	2500	3.7	3.7	54.0	86.0
400	FLP-386391	2500	3.7	3.8	63.0	91.0
401	FLP-506371	2500	3.7	5.0	63.0	71.0
402	FLP-5836106	2500	3.7	5.8	36.0	106.0
403	FLP-703580	2500	3.7	7.0	35.0	80.0
404	FLP-505675	2500	3.7	5.0	56.0	75.0
405	FLP-2910070	2600	3.7	2.9	100.0	70.0
406	FLP-318279	2600	3.7	3.1	182.0	79.0
407	FLP-327982	2600	3.7	3.2	79.0	82.0
408	FLP-377090	2600	3.7	3.7	70.0	90.0
409	FLP-506968	2600	3.7	5.0	69.0	68.0
410	FLP-5538107	2600	3.7	5.5	38.0	107.0
411	FLP-604396	2600	3.7	6.0	43.0	96.0
412	FLP-606168	2600	3.7	6.0	61.0	68.0
413	FLP-356595	2700	3.7	3.5	65.0	95.0
414	FLP-4240108	2700	3.7	4.2	40.0	108.0
415	FLP-507070	2700	3.7	5.0	70.0	70.0
416	FLP-2575128	2800	3.7	2.5	75.0	128.0
417	FLP-3070104	2800	3.7	3.0	70.0	104.0
418	FLP-348090	2800	3.7	3.4	80.0	90.0
419	FLP-357195	2800	3.7	3.5	71.0	95.0
420	FLP-375986	2800	3.7	3.7	59.0	86.0
421	FLP-3845145	2800	3.7	3.8	51.0	145.0
422	FLP-515075	2800	3.7	5.1	50.0	75.0
423	FLP-684082	2800	3.7	6.8	40.0	82.0
424	FLP-704084	2800	3.7	7.0	40.0	84.0
425	FLP-704866	2800	3.7	7.0	48.0	66.0
426	FLP-3570104	2850	3.7	3.5	70.0	104.0
427	FLP-4055105	2850	3.7	4.0	55.0	105.0
428	FLP-103565	2900	3.7	10.0	35.0	65.0
429	FLP-3075109	2900	3.7	3.0	75.0	109.0
430	FLP-3661109	2900	3.7	3.6	61.0	109.0
431	FLP-388088	2900	3.7	3.8	80.0	88.0
432	FLP-4850101	2900	3.7	4.8	50.0	101.0
433	FLP-3272103	2950	3.7	3.2	72.0	103.0
434	FLP-2883105	3000	3.7	2.8	83.0	105.0
435	FLP-3075109	3000	3.7	3.0	75.0	109.0
436	FLP-3472103	3000	3.7	3.4	72.0	103.0
437	FLP-356692	3000	3.7	3.5	66.0	92.0
438	FLP-398088	3000	3.7	3.9	80.0	88.0
439	FLP-5552103	3000	3.7	5.5	52.0	103.0
440	FLP-785070	3000	3.7	7.8	50.0	70.0
441	FLP-3460124	3150	3.7	3.4	60.0	124.0
442	FLP-349898	3200	3.7	3.4	98.0	98.0
443	FLP-387098	3200	3.7	3.8	70.0	98.0
444	FLP-3062135	3250	3.7	3.0	62.0	135.0
445	FLP-3560124	3250	3.7	3.5	60.0	124.0
446	FLP-3566104	3250	3.7	3.5	66.0	104.0

447	FLP-26104100	3400	3.7	2.6	104.0	100.0
448	FLP-104166	3500	3.7	10.0	41.0	66.0
449	FLP-25110102	3500	3.7	2.5	110.0	102.0
450	FLP-26100110	3500	3.7	2.6	100.0	110.0
451	FLP-3080123	3500	3.7	3.0	80.0	123.0
452	FLP-339095	3500	3.7	3.3	90.0	95.0
453	FLP-4261109	3500	3.7	4.2	61.0	109.0
454	FLP-893881	3500	3.7	8.9	38.0	81.0
455	FLP-954268	3500	3.7	9.5	42.0	68.0
456	FLP-4761109	3600	3.7	4.7	61.0	109.0
457	FLP-358991	3650	3.7	3.5	89.0	91.0
458	FLP-3163134	3700	3.7	3.1	63.0	134.0
459	FLP-3182117	3700	3.7	3.1	82.0	117.0
460	FLP-427793	3750	3.7	4.2	77.0	93.0
461	FLP-606080	3800	3.7	6.0	60.0	80.0
462	FLP-805568	4000	3.7	8.0	55.0	68.0
463	FLP-626481	4500	3.7	6.2	6.4	81.0
464	FLP-835677	4600	3.7	8.3	56.0	77.0
465	FLP-5565110	4750	3.7	5.5	65.0	110.0
466	FLP-5759103	5000	3.7	5.7	59.0	103.0
467	FLP-6458110	5000	3.7	6.4	58.0	110.0
468	FLP-656090	5000	3.7	6.5	60.0	90.0
469	FLP-7350107	5000	3.7	7.3	50.0	107.0
470	FLP-8347113	5000	3.7	8.3	47.0	113.0
471	FLP-7568135	5300	3.7	7.5	68.0	138.0
472	FLP-986970	5800	3.7	9.8	69.0	70.0
473	FLP-7365118	6000	3.7	7.3	65.0	118.0
474	FLP-806090	6000	3.7	8.0	60.0	90.0
475	FLP-988075	7300	3.7	9.8	80.0	75.0
476	FLP-5595128	8700	3.7	5.5	95.0	128.0
477	FLP-8578113	8700	3.7	8.5	78.0	113.0
478	FLP-9373129	10000	3.7	9.3	73.0	129.0
479	FLP-8171127	10000	3.7	8.1	71.0	127.0

**Cylindrical Li-Po cells**

No.	Model	Capacity (mAh)	Volt. (V)	Dimensions	
				Dia.(mm)	H(mm)
1	FLP-500950	140	3.7	≤5.0	≤50.0
2	FLP-70350D	90	3.7	≤7.2	≤36.0
3	FLP-75350D	120	3.7	≤7.5	≤36.0
4	FLP-75380D	120	3.7	≤7.3	≤42.4
5	FLP-75400D	140	3.7	≤7.5	≤41.0
6	FLP-75530D	200	3.7	≤7.5	≤53.5
7	FLP-08400D	180	3.7	≤8.5	≤43.5
8	FLP-08500D	240	3.7	≤8.5	≤51.0
9	FLP-08600D	280	3.7	≤8.1	≤62.0
10	FLP-08610D	280	3.7	≤7.8	≤63.5
11	FLP-13450D	640	3.7	≤13	≤50.5
12	FLP-14450D	740	3.7	≤14	≤50.5
13	FLP-13600D	840	3.7	≤13	≤63.8
14	FLP-16600D	1150	3.7	≤15.8	≤64.5
15	FLP-08570D	280	3.7	≤8.3	≤60.5
16	FLP-75600D	230	3.7	≤7.5	≤60.5
17	FLP-75500D	210	3.7	≤7.8	≤53.5
18	FLP-75460D	170	3.7	≤7.5	≤46.5
19	FLP-08350D	150	3.7	≤8.2	≤38.5

Notes:

1. We also supply customized design for cell shape and dimension according to your requirements.
2. The capacities obtained at 0.2C discharge cut-off voltage 2.75V at the temperature of 25°C within 5 hour after the Standard Charge(Constant Current 0.5C Constant Voltage 4.2V 0.01C cut-off);
3. "FLP" before the model refers to Li-Polymer standard industrial series;
4. Ambient temperature recommended for standard charging: 0°C ~ +45°C; for discharging: -20°C ~ +50°C; for storage: -20°C ~ +30°C;
5. FLYPOWER recommends strict control over rapid charging.